Ref #	Hits	Search Query	D8s	Default Operator	Plurals	Time Stamp
L1	1	("6108497").PN.	USPAT; USOCR	OR	OFF	2005/11/17 14:04
S1	177	(703/9).CCLS.	USPAT; USOCR	OR	OFF	2005/11/17 08:33
S2	12	("20020082815" "4683759" "5226092" "5313559" "5550761" "5741980" "5960187" "6028992" "6505579" "6654697" "6758102" "6823296").PN. OR ("6941254"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 08:17
S3	28	S1 and transformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:15
S4	0	simulat\$5 same trnasformation same fluid\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:16
S5	51	simulat\$5 same transformation same fluid\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:16
S6	7	simulat\$5 same transformation same fluid\$2 same matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:17
S7	57717	fluid and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:17
S8	6047	fluid and simulat\$5 and transformation\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:17
S9	238	fluid and simulat\$5 and transformation\$2 adj matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:18
S10	0	fluid and simulat\$5 and transformation\$2 adj matrix and pengrobinson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:19
S11	2	fluid and simulat\$5 and transformation\$2 adj matrix and peng-Robinson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:23

S12		(("4187548") or ("5774381") or ("5826065") or ("6094619") or ("6212488") or ("6336085")).PN.	USPAT; USOCR	OR	OFF	2005/11/17 09:25
-----	--	--	-----------------	----	-----	------------------



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display

Thu, 17 Nov 2005, 2:01:30 PM EST

Recent Search Queries

- #1 ((simulation and reservior)<in>metadata)
- #2 ((simulation and reservoir)<in>metadata)
- #3 ((simulation and reservoir)<in>metadata) and eos
- #4 ((simulation and reservoir)<in>metadata) and transformation
- #5 ((simulation and reservoir)<in>metadata)
- #6 ((simulation and reservoir)<in>metadata)



Indexed by

Help Contact Us Privacy &:

© Copyright 2005 IEEE --



Who are the greatest...

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Export checked results

Contact Us

Basic Search

Advanced Search Search Preferences

Search simulation and reservoir and transformation Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for::

:All of the words:simulation AND reservoir AND transformation

Found::

:2,523 total | 1,253 journal results | 3 preferred web results | 1,267 other web results

:relevance | date Sort by::

Save checked results Email checked results 1. Advanced Techniques for Reservoir Simulation and [PDF-285K]

Nov 2001

Advanced Techniques for Reservoir Simulation and Modeling of Non-Conventional...wells are presented. New reservoir simulation techniques, able to provide...reservoir engineering and reservoir simulation tools used to model non-conventional...

more hits from [http://ekofisk.stanford.edu/horiz/reports/15213RO1.pdf] similar results

2. ECLIPSE Reference Manual [PDF-3MB]

Sep 2000

...purpose. Patent Information 0 Schlumberger ECLIPSE reservoir simulation software is protected by US Patent 6,018,497 and...3-120 COMPFLSH Flash transformation ratios for well connections...

from [http://www.pe.utexas.edu/Dept/Academic/Courses/F2000/P...] similar results

3. Microsoft Word - Engineering.doc (PDF-105K)

Nov 2001

...geostatistical 3D reservoir models. Flow simulations were performed...characterization of reservoirs with abundant...basis for flow simulations. Cornerpoint...application to other reservoir imaging methods...project. Designed simulation studies have... more hits

from [http://www.pete.lsu.edu/courses/Research/White/Frontie...] similar results

4. [PFP#880471759] [PDF-2MB]

May 1999

...runoff, channel routing, reservoir routing, diversion...6 2.5 Reservoir Component...7 2.8 Hydrograph **Transformation**...7 3 Rainfall-Runoff Simulation...43 3.6.6 Level-Pool Reservoir Routing... [http://lawr.ucdavis.edu/classes/hyd143/hec1.pdf] similar results

Refine your sear using these key found in the res biodegradation

board of trustees

catchment <u>elliptic</u>

facies

hydrograph

hydrologic

inflow

object-oriented

porous

reactive transport reservoir simulatio

seismic data

sorption


two-dimensional

unit hydrograph

Or refine using:

All of the words

Refine



Search history:


oction motory.						
No.	Database	Search term	Info added since	Results		
1	INZZ	Moeckel-G\$	unrestricted	5	show titles	
2	INZZ	Schmitt-D\$	unrestricted	425	show titles	
3	INZZ	2 AND reservoir	unrestricted	1	show titles	
4	INZZ	2 AND transform	unrestricted	4	show titles	
5	INZZ	simulation AND reservoir	unrestricted	954	show titles	
6	INZZ	5 AND transformation	unrestricted	5	show titles	

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips	rus mapping	
6 and matrix	whole document	A .
Information added since: or: none (YYYYMMDD)		search


Select special search terms from the following list(s):

- Publication year
- Classification codes A: Physics, 0-1
- Classification codes A: Physics, 2-3
- Classification codes A: Physics, 4-5
- Classification codes A: Physics, 6
- Classification codes A: Physics, 7
- Classification codes A: Physics, 8
- Classification codes A: Physics, 9
- Classification codes B: Electrical & Electronics, 0-5
- Classification codes B: Electrical & Electronics, 6-9
- Classification codes C: Computer & Control



Document

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.



USPTO Full Text Retrieval Options

document 2 of 5 Order Document

INSPEC - 1969 to date (INZZ)

Accession number & update

6136683, A1999-04-9240-006, C1999-02-7340-062; 19990101.

Title

Numerical **simulation** of ground water mounding and its verification by Hele-Shaw model.

Author(s)

Tswn-Syau-Tsay; Hoopes-J-A.

Author affiliation

Agricultural Eng Res Center, Chung-Li, Taiwan.

Source

Computers-Geosciences (UK), vol.24, no.10, p.979-90, Dec. 1998., Published: Elsevier.

CODEN

CGEODT.

ISSN

ISSN: 0098-3004, CCCC: 0098-3004/98/ (\$19.00).

Availability

SICI: 0098-3004(199812)24:10L.979:NSGW; 1-2

Electronic Journal Document Number: S0098-3004(98)00060-0.

Publication year

1998.

Language

EN.

Publication type

J Journal Paper.

Treatment codes

T Theoretical or Mathematical.

Abstract

Ground water mounding is the rise of the water table above its regional level in a local area of an aquifer in order to provide sufficient head to distribute the water supplied by a localized source to that area. The shape and height of the mound depend on many factors including recharge rate and distribution, geology, hydraulic conductivity, flow/head control locations, saturated thickness and regional flow in the aquifer in that area. In this work, an accurate and efficient numerical model for calculating ground water mounding was developed. Numerical calculations were done on a uniform rectangular grid, obtained by a **transformation** of the physical domain. Grid for computation were generated by a grid generation code, Eagle View, which is developed by the Mississippi State

University. Model predictions were verified with tests in a Hele-Shaw model for situations with and without a regional flow, with and without heterogeneity, and for two recharge rates. SAE#50 oil was used as the fluid in the Hele-Shaw. A peristaltic pump was used to supply the constant (and adjustable) recharge rate from the **reservoir** below the Hele-Shaw model. The results of experiments of estimating mounds and the numerical mounding model are in good agreement. However, mound height of the region below recharge of Hele-Shaw model can not be observed because the how of this region combines vertical flow from recharge and the rising of the free surface (horizontal flow). Hence, an emulated perched aquifer was used so that mound height of the recharge region can be observed. (19 refs).

Descriptors

geophysics-computing; groundwater; numerical-analysis.

Keywords

ground water mounding; Hele Shaw model; water table; aquifer; recharge rate; hydraulic conductivity; EagleView; peristaltic pump; emulated perched aquifer.


Classification codes

A9240K (Groundwater).
A0260 (Numerical approximation and analysis).
C7340 (Geophysics computing).

Copyright statement

Copyright 1999, IEE.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK



Top - News & FAQS - Dialog

© **2005** Dialog